

Belt Sander LXT®

DBS180RTJ

18V • 600 – 1 700 m/min • 9 mm

Narrow tool for detail work

A light and easy-to-use belt sander powered by 18V LXT® battery. The belt speed can be adjusted between 600 – 1 700 m/min. This is an ideal tool for finishing, burr removal and working in confined areas. Movable LED light. Two 5.0 Ah battery and rapid charger in a Makpac case included.



Technical specifications

Brushless Motor	✓
Voltage LXT	✓
Nominal Battery Voltage	18 V
Belt Speed	600 - 1700 m/min
Belt Size	9 x 533 mm
Sound Pressure Level (L _{pA})	77 dB(A)
Noise Uncertainty (K Factor)	3 dB(A)
Vibration Level (3 axes)	2,5 m/s ²
Vibration Uncertainty (K Factor)	1,5 m/s ²
Product net weight	1,4 kg
Tool weight with battery (EPTA)	1,8 - 2,1 kg
Product Dimensions (L x W x H):	500 x 96 x 116 mm
Vacuum cleaner connection Ø in / out	17/22 mm

User benefits

- Electric brake for maximum productivity and increased operator safety
- Variable speed control dial enables user to match the speed to the application
- Lock-on button for continuous operation
- Brushless maintenance-free and long-life motor
- Movable LED
- Compact storing because of wide range of arm motion
- High power: same efficiency as corresponding AC model
- Battery protection system automatically shuts off power when the battery level is low

EAN 0088381728966

Link to product - www.makita.uk.com



Related products

Standard AC

144163-3
Grip Complete 36



140W02-3
Grip Base Complete



821550-0
Makpac case (2)



Standard MA

BL1850B (2x)
Battery LXT® 5,0 Ah



DC18RC
Battery Charger LXT®



Optional AC

122652-8
Dust nozzle Assembly



125157-7
Arm Assembly 6 mm



125158-5
Arm Assembly 9 mm



125159-3
Arm Assembly 13mm



140W02-3
Grip Base Complete



144163-3
Grip Complete 36



450128-8
Battery cover, LXT®, 14,4 – 18V



821550-0
Makpac case (2)



835P86-9
Makpac Type 2 Inner tray (2)



P-43181
Sanding belt 6 x 533 mm, 40G, 5 pcs



P-43197
Sanding belt 60G



P-43206
Sanding belt 6 x 533 mm, 80G, 5 pcs



P-43212
Sanding belt 6 x 533 mm, 100G, 5



P-43228
Sanding belt 6 x 533 mm, 120G , 5



P-43256
Sanding belt 9 x 533 mm, 40G, 5 pcs



P-43262
Sanding belt 9 x 533 mm, 60G, 5 pcs



P-43278
Sanding belt 9 x 533 mm, 80G, 5 pcs



P-43284
Sanding belt 9 x 533 mm, 100G, 5



P-43290
Sanding belt 9 x 533 mm, 120G, 5



P-43321
Sanding belt 13 x 533 mm 40G, 5 pcs



P-43337
Sanding belt 13 x 533 mm, 60G, 5



P-43343
Sanding belt 13 x 533 mm, 80G, 5



P-43359
Sanding belt 13 x 533 mm, 100G, 5



P-43365
Sanding belt 13 x 533 mm, 120G, 5



 Other

User manual

Parts drawing