



**Caractéristiques**

Caractéristique	Valeur
Type de produit	Alésoir à main
Standard DIN	DIN 206
Direction de coupe	Droite
Matière de coupe	HSS
Tolérance	H7

**Variantes**

Code article	Diamètre (mm)	Longueur utile (mm)	Longueur totale (mm)
<a href="#">00104001</a>	2 mm	25 mm	50 mm
<a href="#">00104002</a>	2,50 mm	29 mm	58 mm
<a href="#">00104003</a>	3 mm	31 mm	62 mm
<a href="#">00104004</a>	3,50 mm	35 mm	71 mm
<a href="#">00104005</a>	4 mm	41 mm	81 mm
<a href="#">00104006</a>	4,50 mm	41 mm	81 mm
<a href="#">00104007</a>	5 mm	44 mm	87 mm
<a href="#">00104008</a>	5,50 mm	47 mm	93 mm
<a href="#">00104009</a>	6 mm	47 mm	93 mm
<a href="#">00104010</a>	6,50 mm	50 mm	100 mm
<a href="#">00104011</a>	7 mm	54 mm	107 mm
<a href="#">00104012</a>	7,50 mm	54 mm	107 mm
<a href="#">00104013</a>	8 mm	58 mm	115 mm
<a href="#">00104014</a>	8,50 mm	58 mm	115 mm
<a href="#">00104015</a>	9 mm	62 mm	124 mm
<a href="#">00104016</a>	9,50 mm	62 mm	124 mm
<a href="#">00104017</a>	10 mm	66 mm	133 mm
<a href="#">00104018</a>	10,50 mm	66 mm	133 mm
<a href="#">00104019</a>	11 mm	71 mm	142 mm
<a href="#">00104020</a>	11,50 mm	76 mm	152 mm
<a href="#">00104021</a>	12 mm	76 mm	152 mm
<a href="#">00104022</a>	12,50 mm	76 mm	152 mm
<a href="#">00104023</a>	13 mm	76 mm	152 mm
<a href="#">00104025</a>	14 mm	81 mm	163 mm
<a href="#">00104026</a>	14,50 mm	81 mm	163 mm
<a href="#">00104027</a>	15 mm	81 mm	163 mm
<a href="#">00104028</a>	15,50 mm	81 mm	163 mm
<a href="#">00104029</a>	16 mm	87 mm	175 mm
<a href="#">00104030</a>	16,50 mm	87 mm	175 mm
<a href="#">00104031</a>	17 mm	87 mm	175 mm
<a href="#">00104032</a>	17,50 mm	87 mm	175 mm
<a href="#">00104033</a>	18 mm	93 mm	188 mm
<a href="#">00104034</a>	18,50 mm	93 mm	188 mm
<a href="#">00104035</a>	19 mm	93 mm	188 mm
<a href="#">00104036</a>	19,50 mm	93 mm	188 mm
<a href="#">00104037</a>	20 mm	100 mm	201 mm
<a href="#">00104038</a>	20,50 mm	100 mm	201 mm
<a href="#">00104039</a>	21 mm	100 mm	201 mm
<a href="#">00104040</a>	21,50 mm	100 mm	201 mm
<a href="#">00104041</a>	22 mm	107 mm	215 mm
<a href="#">00104042</a>	22,50 mm	107 mm	215 mm
<a href="#">00104043</a>	23 mm	107 mm	215 mm
<a href="#">00104044</a>	23,50 mm	107 mm	215 mm
<a href="#">00104045</a>	24 mm	115 mm	231 mm

Variantes

Code article	Diamètre (mm)	Longueur utile (mm)	Longueur totale (mm)
<a href="#">00104046</a>	24,50 mm	115 mm	231 mm
<a href="#">00104047</a>	25 mm	115 mm	231 mm
<a href="#">00104048</a>	25,50 mm	115 mm	231 mm
<a href="#">00104049</a>	26 mm	115 mm	231 mm
<a href="#">00104050</a>	26,50 mm	115 mm	231 mm
<a href="#">00104051</a>	27 mm	124 mm	247 mm
<a href="#">00104052</a>	27,50 mm	124 mm	247 mm
<a href="#">00104053</a>	28 mm	124 mm	247 mm
<a href="#">00104054</a>	28,50 mm	124 mm	247 mm
<a href="#">00104055</a>	29 mm	124 mm	247 mm
<a href="#">00104056</a>	29,50 mm	124 mm	247 mm
<a href="#">00104057</a>	30 mm	124 mm	247 mm
<a href="#">00104059</a>	31 mm	133 mm	265 mm
<a href="#">00104060</a>	32 mm	133 mm	265 mm
<a href="#">00104061</a>	33 mm	133 mm	265 mm
<a href="#">00104062</a>	34 mm	142 mm	284 mm
<a href="#">00104063</a>	35 mm	142 mm	284 mm
<a href="#">00104064</a>	36 mm	142 mm	284 mm
<a href="#">00104065</a>	37 mm	142 mm	284 mm
<a href="#">00104066</a>	38 mm	152 mm	305 mm
<a href="#">00104067</a>	39 mm	152 mm	305 mm
<a href="#">00104068</a>	40 mm	152 mm	305 mm
<a href="#">00104069</a>	41 mm	152 mm	305 mm
<a href="#">00104070</a>	42 mm	152 mm	305 mm
<a href="#">00104072</a>	44 mm	163 mm	326 mm
<a href="#">00104073</a>	45 mm	163 mm	326 mm
<a href="#">00104074</a>	46 mm	163 mm	326 mm
<a href="#">00104076</a>	48 mm	174 mm	347 mm
<a href="#">00104077</a>	49 mm	174 mm	347 mm
<a href="#">00104078</a>	50 mm	174 mm	347 mm