

## Clés polygonales à frapper



### Explication

- DIN 7444

### Caractéristiques

| Caractéristique   | Valeur                   |
|-------------------|--------------------------|
| Type de produit   | Clé polygonale à frapper |
| Modèle clé        | Simple                   |
| Isolé 1000 V      | Non                      |
| Version à cliquet | Non                      |

## Clés polygonales à frapper

### Variantes

| Code article             | Largeur de clé, petit format (mm) |
|--------------------------|-----------------------------------|
| <a href="#">35901001</a> | 24 mm                             |
| <a href="#">35901002</a> | 27 mm                             |
| <a href="#">35901003</a> | 30 mm                             |
| <a href="#">35901004</a> | 32 mm                             |
| <a href="#">35901045</a> | 34 mm                             |
| <a href="#">35901046</a> | 35 mm                             |
| <a href="#">35901005</a> | 36 mm                             |
| <a href="#">35901047</a> | 38 mm                             |
| <a href="#">35901048</a> | 40 mm                             |
| <a href="#">35901006</a> | 41 mm                             |
| <a href="#">35901049</a> | 42 mm                             |
| <a href="#">35901050</a> | 43 mm                             |
| <a href="#">35901051</a> | 44 mm                             |
| <a href="#">35901052</a> | 45 mm                             |
| <a href="#">35901007</a> | 46 mm                             |
| <a href="#">35901053</a> | 47 mm                             |
| <a href="#">35901054</a> | 48 mm                             |
| <a href="#">35901008</a> | 50 mm                             |
| <a href="#">35901056</a> | 51 mm                             |
| <a href="#">35901057</a> | 52 mm                             |
| <a href="#">35901058</a> | 53 mm                             |
| <a href="#">35901059</a> | 54 mm                             |
| <a href="#">35901009</a> | 55 mm                             |
| <a href="#">35901060</a> | 56 mm                             |
| <a href="#">35901061</a> | 57 mm                             |
| <a href="#">35901062</a> | 58 mm                             |
| <a href="#">35901063</a> | 59 mm                             |
| <a href="#">35901010</a> | 60 mm                             |
| <a href="#">35901011</a> | 65 mm                             |
| <a href="#">35901012</a> | 70 mm                             |
| <a href="#">35901013</a> | 75 mm                             |
| <a href="#">35901014</a> | 80 mm                             |
| <a href="#">35901015</a> | 85 mm                             |
| <a href="#">35901016</a> | 90 mm                             |
| <a href="#">35901017</a> | 95 mm                             |
| <a href="#">35901018</a> | 100 mm                            |
| <a href="#">35901019</a> | 105 mm                            |
| <a href="#">35901020</a> | 110 mm                            |
| <a href="#">35901021</a> | 115 mm                            |
| <a href="#">35901022</a> | 120 mm                            |
| <a href="#">35901023</a> | 125 mm                            |
| <a href="#">35901024</a> | 130 mm                            |
| <a href="#">35901025</a> | 135 mm                            |
| <a href="#">35901026</a> | 140 mm                            |

## Clés polygonales à frapper

### Variantes

| Code article             | Largeur de clé, petit format (mm) |
|--------------------------|-----------------------------------|
| <a href="#">35901027</a> | 145 mm                            |
| <a href="#">35901028</a> | 150 mm                            |