

## Clés polygonales à frapper



### Explication

- DIN 7444

### Caractéristiques

Caractéristique	Valeur
Type de produit	Clé polygonale à frapper
Modèle clé	Simple
VDE Isolé 1000 V	Non
Version à cliquet	Non

## Clés polygonales à frapper

### Variantes

Code article	Largeur de clé, petit format (mm)
<a href="#">35901001</a>	24 mm
<a href="#">35901002</a>	27 mm
<a href="#">35901003</a>	30 mm
<a href="#">35901004</a>	32 mm
<a href="#">35901045</a>	34 mm
<a href="#">35901046</a>	35 mm
<a href="#">35901005</a>	36 mm
<a href="#">35901047</a>	38 mm
<a href="#">35901048</a>	40 mm
<a href="#">35901006</a>	41 mm
<a href="#">35901049</a>	42 mm
<a href="#">35901050</a>	43 mm
<a href="#">35901051</a>	44 mm
<a href="#">35901052</a>	45 mm
<a href="#">35901007</a>	46 mm
<a href="#">35901053</a>	47 mm
<a href="#">35901054</a>	48 mm
<a href="#">35901008</a>	50 mm
<a href="#">35901056</a>	51 mm
<a href="#">35901057</a>	52 mm
<a href="#">35901058</a>	53 mm
<a href="#">35901059</a>	54 mm
<a href="#">35901009</a>	55 mm
<a href="#">35901060</a>	56 mm
<a href="#">35901061</a>	57 mm
<a href="#">35901062</a>	58 mm
<a href="#">35901063</a>	59 mm
<a href="#">35901010</a>	60 mm
<a href="#">35901011</a>	65 mm
<a href="#">35901012</a>	70 mm
<a href="#">35901013</a>	75 mm
<a href="#">35901014</a>	80 mm
<a href="#">35901015</a>	85 mm
<a href="#">35901016</a>	90 mm
<a href="#">35901017</a>	95 mm
<a href="#">35901018</a>	100 mm
<a href="#">35901019</a>	105 mm
<a href="#">35901020</a>	110 mm
<a href="#">35901021</a>	115 mm
<a href="#">35901022</a>	120 mm
<a href="#">35901023</a>	125 mm
<a href="#">35901024</a>	130 mm
<a href="#">35901025</a>	135 mm
<a href="#">35901026</a>	140 mm

## Clés polygonales à frapper

### Variantes

Code article	Largeur de clé, petit format (mm)
<a href="#">35901027</a>	145 mm
<a href="#">35901028</a>	150 mm