

Spiraalboren rolgewalst DIN338 in hss



Toelichting

- HSS
- DIN 338
- Rolgewalst

Kenmerken

Kenmerk		Waarde
Producttype	Metaalboor	

Spiraalboren rolgewalst DIN338 in hss

Varianten

Artikelcode	Diameter boor (mm)	Werkende lengte (mm)	Totale lengte (mm)
06101007	0,50 mm	6 mm	22 mm
06101017	1 mm	12 mm	34 mm
06101021	1,20 mm	16 mm	38 mm
06101027	1,50 mm	18 mm	40 mm
06101037	2 mm	24 mm	49 mm
06101047	2,50 mm	30 mm	57 mm
06101057	3 mm	33 mm	61 mm
06101058	3,10 mm	36 mm	65 mm
06101060	3,20 mm	36 mm	65 mm
06101062	3,30 mm	36 mm	65 mm
06101065	3,50 mm	39 mm	70 mm

Varianten

Artikelcode	Diameter boor (mm)	Werkende lengte (mm)	Totale lengte (mm)
06101074	4 mm	43 mm	75 mm
06101082	4,50 mm	47 mm	80 mm
06101088	4,80 mm	52 mm	86 mm
06101091	5 mm	52 mm	86 mm
06101098	5,50 mm	57 mm	93 mm
06101105	6 mm	57 mm	93 mm
06101112	6,50 mm	63 mm	101 mm
06101118	7 mm	69 mm	109 mm
06101119	7,10 mm	69 mm	109 mm
06101124	7,50 mm	69 mm	109 mm
06101130	8 mm	75 mm	117 mm

Spiraalboren rolgewalst DIN338 in hss

Varianten

Artikelcode	Diameter boor (mm)	Werkende lengte (mm)	Totale lengte (mm)
06101136	8,50 mm	75 mm	117 mm
06101142	9 mm	81 mm	125 mm
06101148	9,50 mm	81 mm	125 mm
06101154	10 mm	87 mm	133 mm
06101160	10,50 mm	87 mm	133 mm
06101166	11 mm	94 mm	142 mm
06101172	11,50 mm	94 mm	142 mm
06101178	12 mm	101 mm	151 mm
06101184	12,50 mm	101 mm	151 mm
06101190	13 mm	101 mm	151 mm
06101202	14 mm	108 mm	160 mm